

Notice of Allowability	Application No.	Applicant(s)	
	09/773,595	YOSHIKAWA ET AL.	
	Examiner Thuan N. Du	Art Unit 2116	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment filed on 12/28/04 and telephone interview on 3/1/05.

2. The allowed claim(s) is/are 2,3,7,8,16 and 17 (renumbered as 1-6).

3. The drawings filed on 17 November 2004 are accepted by the Examiner.

4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some* c) None of the:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date _____.

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
- 4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- 5. Notice of Informal Patent Application (PTO-152)
- 6. Interview Summary (PTO-413),
Paper No./Mail Date 20050303.
- 7. Examiner's Amendment/Comment
- 8. Examiner's Statement of Reasons for Allowance
- 9. Other _____.



THUAN DU

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David A. Blumenthal, Reg. No. 26,257 on March 01, 2005.

2. The application has been amended as follows:

In the claim: Please amend claims 2, 3, 7, 8, 16 and 17 as follow:

Claim 2, line 1, please replace “A delay adjustment circuit” with -- The delay adjustment circuit --.

Claim 3, line 1, please replace “A delay adjustment circuit” with -- The delay adjustment circuit --.

Claim 7, line 2, please replace “the delay adjustment circuit” with -- a delay adjustment circuit comprising: --;

Claim 7, line 14, please replace “the clock output” with -- a clock output --;

Claim 7, line 14, please replace “this” with -- the --;

Claim 7, line 16, please replace “the output value” with -- an output value --;

Claim 7, line 16, please replace “said register” with -- a register --;

Claim 8, line 2, please replace “the delay adjustment circuit” with -- a delay adjustment circuit --;

Claim 8, line 21, please replace “the output value” with -- an output value --;

Claim 8, lines 21-22, please replace “said register” with -- a register --;

Claim 16, line 1, please replace “A delay adjustment circuit” with -- The delay adjustment circuit --.

Claim 17, line 1, please replace “A delay adjustment circuit” with -- The delay adjustment circuit --.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuan N. Du whose telephone number is (571) 272-3673. The examiner can normally be reached on Monday and Wednesday-Friday: 9:30 AM - 8:00 PM, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H. Browne can be reached on (571) 272-3670.

Central TC telephone number is (571) 272-2100.

The fax number for the organization is (703) 872-9306.

4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 2116

applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).



Thuan N. Du
March 3, 2005